

Bomgar PA B200 Hardware Details

The following hardware details reflect the physical and technical specifications of the Bomgar B200. Bomgar makes every effort to maintain a consistent specification to ensure reliability and quality. Note that the specifications herein are subject to change without notice, and may vary slightly from your model.

Dimensions

Hardware Type: 1U rack-mountable server

Dimensions: 1.68 x 19 x 19.5 in.

Weight: Approximately 20 lbs.

Operational Specifications

Operating Temperature: 10°C to 35°C (50°F to 95°F)

Non-Operating Temperature: -40°C to 65°C (-40°F to 149°F)

Operating Humidity: 10% to 80% RH (non-condensing)

Non-Operating Humidity: 5% to 95% RH (non-condensing)

System Specifications

Processor: One Intel E3 - 1200 V5 series

Hard drive: 500GB 7.2K RPM SATA 3 Gbps 3.5 in. Cabled Hard Drive (400 - ACDG)

RAM: 4GB

NICs: Two 10/100/1000 Mbps

Power supply: single, internal 250W AC

- AC Input Voltage: 100 to 240 V
- Rated Input Current: 4A - 2A
- Rated Operating Frequency: 50 to 60 Hz
- 1039 BTU/hr maximum @ rated output of 250 W PSU
- Measured Power Consumption:
 - Idle: 46W
 - Load: 80W

Regulatory Information

Safety Testing	Emissions Testing	Certification Marks
<ul style="list-style-type: none">• UL 60950• CSA22.2 No 60950• EN60950	<ul style="list-style-type: none">• FCC Part 15 Class A• Canada ICES-003 Class A• Japan VCCI Class A• EN55022 Level A & EN55024 (Immunity)• CISPR-22	<ul style="list-style-type: none">• NRTL• CE• VCCI• FCC PART 15• RoHS 2002/95/EC